

MouDrawPtr

Bindings: C, MASM

This call allows a process to notify the mouse device driver that an area previously restricted to the pointer image is now available to the mouse device driver.

MouDrawPtr (**DeviceHandle**)

DeviceHandle (**HMOU**) - input Mouse device handle from a previous [MouOpen](#).

rc (**USHORT**) - return Return code descriptions are:

| | |
|----------|------------------------|
| 0 | NO_ERROR |
| 385 | ERROR_MOUSE_NO_DEVICE |
| 466 | ERROR_MOU_DETACHED |
| 501 | ERROR_MOUSE_NO_CONSOLE |
| 505 | ERROR_MOU_EXTENDED_SG |

Remarks

The collision area (the pointer image restricted area) is established by [MouOpen](#) and by [MouRemovePtr](#). [MouDrawPtr](#) nullifies the effect of the [MouRemovePtr](#) command. If there was no previous [MouDrawPtr](#) command or if a previous [MouDrawPtr](#) command has already nullified the collision area, the [MouRemovePtr](#) command is effectively a null operation.

This call is required to begin session pointer image drawing. Immediately after [MouOpen](#) is issued, the collision area is defined as the size of the display. A [MouDrawPtr](#) is issued to begin pointer drawing after the [MouOpen](#).

From:
<https://osfree.su/doku/> - **osFree wiki**

Permanent link:
<https://osfree.su/doku/doku.php?id=en:ibm:prcp:drawptr&rev=1454552224>

Last update: **2016/02/04 02:17**

