

Current Status

osFree project is deep in the alpha stage. At the present time the osFree project work with low-level parts of operating system like loader and related tools. We also try to develop an experimental prototype of OS/2 personality for L4 microkernel. Also we have set of command line tools like CMD.EXE and file/disk maintenance utilities.

For now a lot of tools are already finished (mainly thanks to JP Software for their 4OS2 command processor sources and Bartosz Tomasiak for most of other command line tools. Also thanks to those who contributed directly or indirectly their sources). But there's still a lot to do.

However, don't limit yourself to command line tools. If you're interested in developing a kernel loader (some source exists), kernel, device drivers, or other parts of the osFree system, you are welcome to work on them! We will be glad to see you as an osFree developer!

osFree roadmap

For osFree development plan, milestones (passed ones, current ones and the correspondence of them to system versions, see osFree [roadmap](#))

Completeness/status of each component

Here is each small component status:

| System part | System subpart | Status | License | Developers | To Do |
|-----------------------|--|--------|---------|---|-------|
| osFree art | osFree logo | Done | osFree | Cristiano Guadagnino, Alex Kramer | |
| Global shared code | dynamic lists/dynamic stacks code | Done | osFree | Cristiano Guadagnino | |
| | messaging functions | Done | osFree | Henk Kelder, Bartosz Tomasiak | |
| | path manipulation code | Done | osFree | Bartosz Tomasiak | |
| | disk info functions | Done | osFree | Bartosz Tomasiak | |
| | file system functions | Done | osFree | Bartosz Tomasiak | |
| CLI tools shared code | directory-tree recurse helper functions | Done | osFree | Cristiano Guadagnino, Bartosz Tomasiak | |
| | messaging functions | Done | osFree | Cristiano Guadagnino, Bartosz Tomasiak | |
| | filesystem functions | Done | osFree | Bartosz Tomasiak | |
| Documentation | shared code, calling 16-bit dynamically loaded functions | Done | osFree | Michal Necasek | |
| | Build Level Information | Done | osFree | Yuri Prokushev | |

| System part | System subpart | Status | License | Developers | To Do |
|-------------|----------------|-----------|---------|-------------|-------|
| CMD.EXE | Extension | | 40S2 | JP Software | |
| | ACTIVATE | | 40S2 | JP Software | |
| | ALIAS | | 40S2 | JP Software | |
| | BEEP | | 40S2 | JP Software | |
| | CALL | Done | 40S2 | JP Software | |
| | CANCEL | | 40S2 | JP Software | |
| | CASE | | 40S2 | JP Software | |
| | CD | Done | 40S2 | JP Software | |
| | CDD | | 40S2 | JP Software | |
| | CHCP | Done | 40S2 | JP Software | |
| | CHDIR | Done | 40S2 | JP Software | |
| | COLOR | | 40S2 | JP Software | |
| | COPY | Done | 40S2 | JP Software | |
| | DATE | Done | 40S2 | JP Software | |
| | DEFAULT | | 40S2 | JP Software | |
| | DEL | Done | 40S2 | JP Software | |
| | DELAY | | 40S2 | JP Software | |
| | DESCRIBE | | 40S2 | JP Software | |
| | DETACH | Done | 40S2 | JP Software | |
| | DIR | Done | 40S2 | JP Software | |
| | DIRHISTORY | | 40S2 | JP Software | |
| | DIRS | | 40S2 | JP Software | |
| | DO | | 40S2 | JP Software | |
| | DPATH | Done | 40S2 | JP Software | |
| | DRAWBOX | | 40S2 | JP Software | |
| | DRAWHLIN | | 40S2 | JP Software | |
| | DRAWVLINE | | 40S2 | JP Software | |
| | ECHO | Done | 40S2 | JP Software | |
| | ECHOERR | Extension | 40S2 | JP Software | |
| | ECHOS | | 40S2 | JP Software | |
| | ECHOSERR | | 40S2 | JP Software | |
| | ENDLOCAL | Done | 40S2 | JP Software | |
| | ENDSWITCH | | 40S2 | JP Software | |
| | ERASE | Done | 40S2 | JP Software | |
| | ESET | | 40S2 | JP Software | |
| | EXCEPT | | 40S2 | JP Software | |
| | EXIT | Done | 40S2 | JP Software | |
| | FFIND | | 40S2 | JP Software | |
| | FOR | Done | 40S2 | JP Software | |
| | FREE | | 40S2 | JP Software | |
| | GLOBAL | | 40S2 | JP Software | |
| | GOSUB | | 40S2 | JP Software | |
| | GOTO | Done | 40S2 | JP Software | |
| | HELP | Done | 40S2 | JP Software | |
| | HISTORY | | 40S2 | JP Software | |
| | IF | Done | 40S2 | JP Software | |
| | IFF | | 40S2 | JP Software | |
| | INKEY | | 40S2 | JP Software | |
| | INPUT | | 40S2 | JP Software | |
| | KEYBD | | 40S2 | JP Software | |
| | KEYS | Done | 40S2 | JP Software | |
| | KEYSTACK | Extension | 40S2 | JP Software | |
| | LIST | | 40S2 | JP Software | |
| | LOADBTM | | 40S2 | JP Software | |
| | LOG | | 40S2 | JP Software | |
| | MEMORY | | 40S2 | JP Software | |
| | MOVE | Done | 40S2 | JP Software | |
| | ON | | 40S2 | JP Software | |
| | OPTION | | 40S2 | JP Software | |
| | PATH | Done | 40S2 | JP Software | |
| | PAUSE | Done | 40S2 | JP Software | |
| | POPD | | 40S2 | JP Software | |
| | PROMPT | Done | 40S2 | JP Software | |
| | PUSHD | | 40S2 | JP Software | |
| | QUIT | | 40S2 | JP Software | |
| | RD | Done | 40S2 | JP Software | |
| | REBOOT | | 40S2 | JP Software | |
| | REM | Done | 40S2 | JP Software | |
| | REN | Done | 40S2 | JP Software | |
| | RENAME | Done | 40S2 | JP Software | |
| | RETURN | | 40S2 | JP Software | |
| | RMDIR | Done | 40S2 | JP Software | |
| | SCREEN | | 40S2 | JP Software | |
| | SCRPUT | | 40S2 | JP Software | |
| | SELECT | | 40S2 | JP Software | |
| | SET | Done | 40S2 | JP Software | |
| | SETDOS | | 40S2 | JP Software | |
| | SETLOCAL | Done | 40S2 | JP Software | |
| | SHIFT | Done | 40S2 | JP Software | |
| | SHRALIAS | | 40S2 | JP Software | |
| | START | Done | 40S2 | JP Software | |
| | SWITCH | Extension | 40S2 | JP Software | |
| | TEE | | 40S2 | JP Software | |
| | TEXT | | 40S2 | JP Software | |
| | TIME | Done | 40S2 | JP Software | |
| | TIMER | | 40S2 | JP Software | |
| | TITLE | | 40S2 | JP Software | |
| | TOUCH | | 40S2 | JP Software | |
| | TYPE | Done | 40S2 | JP Software | |
| | UNALIAS | | 40S2 | JP Software | |
| | UNSET | | 40S2 | JP Software | |
| | VERIFY | Done | 40S2 | JP Software | |
| | VSCRPUT | | 40S2 | JP Software | |
| | WINDOW | | 40S2 | JP Software | |
| | Y | | 40S2 | JP Software | |

| System part | System subpart | Status | License | Developers | To Do |
|------------------------------|-------------------------------|------------|--------------|--|---|
| CLI tools | ANSI | Done | osFree | John Martin Alfredsson | |
| | ATTRIB | Done | osFree | Bartosz Tomasik | |
| | BACKUP | None | | | |
| | BLDLEVEL | Done | osFree | Yuri Prokushev | |
| | CHKDSK | Done | osFree | Bartosz Tomasik | |
| | COMP | Done | GPL | Knut St. Osmundsen | |
| | CLS | Done | osFree | Bartosz Tomasik | |
| | DISKCOMP | None | GPL | Eric Auer, Michal Meller | Port to OS/2 |
| | DISKCOPY | None | | | |
| | DTRACE | None | | | |
| | EAUTIL | None | | | |
| | EJECT | Done | osFree | Bartosz Tomasik | |
| | FDISK | Done | osFree | Yuri Prokushev | |
| | FIND | Done | GPL | Jim Hall | |
| | FORMAT | Done | osFree | Bartosz Tomasik | |
| | HELPMMSG | Done | osFree | Yuri Prokushev | |
| | KEYB | None | | | |
| | LABEL | Done | osFree | Bartosz Tomasik | |
| | LVM | None | | | |
| | MAKEINI | Done | GPL | Ulrich Moeller | |
| | MD | Done | osFree | Bartosz Tomasik | |
| | MKDIR | Done | osFree | Bartosz Tomasik | |
| | MKMSGF | Done | GPL 2+ | Michael K Greene, Yuri Prokushev, Veit Kannegieser | |
| | MODE | None | | | |
| | MORE | Done | Public | Stephen Lacy | |
| | PATCH | None | | | |
| | PDUMPSYS | None | | | |
| | PDUMPUSR | None | | | |
| | PFILES | None | | | |
| | PRINT | Done | | | |
| | PROCDUMP | None | | | |
| | PSTAT | None | | | |
| | RECOVER | Done | osFree | Bartosz Tomasik | |
| | REPLACE | None | | | |
| | RESTORE | None | | | |
| | SORT | Done | GPL | Eric Auer, Jim Lynch | |
| | SPOOL | None | | | |
| | STRACE | None | | | |
| | SYSINSTX | Done | osFree | Bartosz Tomasik | |
| | SYSLEVEL | Done | | | |
| | TRACE | None | | | |
| | TRAPDUMP | None | | | |
| | TREE | Done | osFree | Cristiano Guadagnino, Bartosz Tomasik | |
| | TRSPPOOL | None | | | |
| | UNDELETE | None | | | |
| | XCOPY | Done | GPL | Vitus Jensen | |
| | VER | Done | osFree | Bartosz Tomasik | |
| | VMDISK | None | | | |
| | VOL | Done | osFree | Bartosz Tomasik | |
| | Classic REXX | REGINA.DLL | Done | LGPL | Anders Christensen, Mark Hessling |
| REXX.DLL | | Done | LGPL | Yuri Prokushev, Valery Sedletski | |
| REXXAPI.DLL | | Done | LGPL | Yuri Prokushev, Valery Sedletski | |
| REXXUTIL.DLL | | Done | MPL | Patrick TJ McPhee | |
| CPI | DOSCALLS.DLL | None | | | |
| | KBDSCALLS.DLL | Done | osFree | Yuri Prokushev | |
| | MOUCALLS.DLL | Done | osFree | Yuri Prokushev | |
| | MSG.DLL | Done | osFree | Yuri Prokushev | |
| | NLS.DLL | Done | osFree | Yuri Prokushev | |
| | QUECALLS.DLL | Done | osFree | Yuri Prokushev | |
| | SESMGR.DLL | Done | osFree | Yuri Prokushev | |
| | VIOCALLS.DLL | Done | osFree | Yuri Prokushev | |
| | BMSCALLS.DLL | None | | | |
| | BKSCALLS.DLL | None | | | |
| BVSCALLS.DLL | None | | | | |
| SOM | SOM.DLL | None | | | |
| | SOMC.DLL | None | | | |
| | SC.EXE | Done | GPLv3 | somFree project | |
| | SOMCPP.EXE | Done | 2-clause BSD | Kiyoshi Matsui | |
| | SOMIPC.EXE | Done | GPLv3 | somFree project | Doesn't support Emitters framework |
| | SPP.EXE | Done | osFree | Yuri Prokushev | Need to check compatibility with original |
| | SOMOPC.EXE | None | | | |
| SOME.DLL | None | | | | |
| DSOM | SOMD.DLL | None | | | |
| Object REXX | | None | | | |
| DOS kernel | DOSKRNL | None | GPL2.0+ | FreeDOS team | |
| FSFILTER | FSFILTER.SYSL | None | | | |

| System part | System subpart | Status | License | Developers | To Do | |
|-------------------------|-----------------------------|-------------------------|--------------------------------|---|-----------------------------------|--|
| MDOS CLI tools | APPEND | Done | GPL2.0+ | FreeDOS team Yuri Prokushev | | |
| | ASSIGN | Done | GPL2.0+ | FreeDOS team Yuri Prokushev | | |
| | ATTRIB | Done | GPL2.0+ | FreeDOS team | Rework to dual mode | |
| | BASIC | None | GPL2.0+ | BW-BASIC team | | |
| | CHOICE | Done | GPL2.0+ | FreeDOS team | Rework to dual mode | |
| | COMMAND | Done | GPL2.0+ | FreeDOS team Valery Sedletski | | |
| | COMP | Done | MIT | FreeDOS team | Rework to dual mode | |
| | DEBUG | Done | MIT | FreeDOS team | | |
| | DISKCOMP | Done | GPL2.0+ | FreeDOS team | | |
| | DISKCOPY | Done | GPL2.0+ | FreeDOS team | | |
| | EDLIN | Done | GPL2.0+ | FreeDOS team | | |
| | EDIT | Done | GPL2.0+ | FreeDOS team | | |
| | EXIT_VDM | Done | osFree | Yuri Prokushev | | |
| | FC | Done | GPL2.0+ | FreeDOS team | Rework to dual mode | |
| | FIND | Done | GPL2.0+ | FreeDOS team | Rework to dual mode | |
| | FSACCESS | None | osFree | | | |
| | GRAFTABL | Done | MIT | FreeDOS team Yuri Prokushev | | |
| | HELP | Done | osFree | | | |
| | HELPMMSG | None | osFree | | | |
| | JOIN | None | osFree | | | |
| | LABEL | Done | GPL2.0+ | FreeDOS team | | |
| | MEM | Done | GPL2.0+ | FreeDOS team | | |
| | MORE | Done | GPL2.0+ | FreeDOS team | Rework to dual mode | |
| | MOVE | Done | GPL2.0+ | FreeDOS team | Rework to dual mode | |
| | MSD | None | | | | |
| | QBASIC | None | GPL2.0+ | FreeDOS team BW-BASIC Team | | |
| | SORT | Done | GPL2.0+ | FreeDOS team | Rework to dual mode | |
| | SUBST | None | osFree | | | |
| | XCOPY | Done | GPL2.0+ | FreeDOS team | Rework to dual mode | |
| | Win16 Applications | CALC | None | | | |
| | | CHARMAP | None | | | |
| | | CLIPBRD | Done | GPL2.0+ | ReactOS project Yuri Prokushev | |
| CLOCK | | Done | LGPL2.1+ | Wine project Yuri Prokushev | | |
| NOTEPAD | | Done | LGPL2.1+ | Wine project Yuri Prokushev | | |
| PIFEDIT | | None | | | | |
| PROGMAN | | None | | | | |
| SOL | | None | | | | |
| TASKMAN | | Done | osFree | Yuri Prokushev | | |
| WINFILE | | None | | | | |
| WINHELP | | None | | | | |
| WINMINE | | Done | LGPL2.1+ | Wine project Joshua Thielen Nathan Lineback Yuri Prokushev | | |
| WINVER | Done | LGPL2.1+ | Wine project Yuri Prokushev | | | |
| IPF API | HELPMGR.DLL | Done | GPL | NewView project | | |
| PM tools | VIEW | Done | GPL | NewView project | | |
| | FFSTCONF | None | | | | |
| | FFSTPCT | None | | | | |
| | SYSLOG | None | | | | |
| | TRACEFMT | None | | | | |
| | DDINSTAL | None | | | | |
| MM tools | PICVIEW | None | | | | |
| TCP/IP | Stack | None | | | | |
| TCP/IP CLI tools | PING | None | BSD | Patrick Haller, Yuri Prokushev | | |
| | TRACERTE | None | BSD | Patrick Haller | Port to OpenWatcom | |
| CMD.EXE | ATTRIB | Obsolete | 4OS2 | JP Software | | |
| | CLS | Obsolete | 4OS2 | JP Software | | |
| | MD | Obsolete | 4OS2 | JP Software | | |
| | MKDIR | Obsolete | 4OS2 | JP Software | | |
| | VOL | Obsolete | 4OS2 | JP Software | | |
| | TREE | Obsolete | 4OS2 | JP Software | | |
| | VER | Obsolete | 4OS2 | JP Software | | |

From: <https://osfree.org/doku/> - **osFree wiki**

Permanent link: <https://osfree.org/doku/doku.php?id=en:status>

Last update: **2024/11/27 16:31**

