This is part of **Family API** which allow to create dual-os version of program runs under OS/2 and DOS

Note: This is legacy API call. It is recommended to use 32-bit equivalent

2021/09/17 04:47 · prokushev · 0 Comments
2021/08/20 03:18 · prokushev · 0 Comments

This call releases ownership of (unlocks) the physical display buffer.

Syntax

VioScrUnLock (VioHandle)

Parameters

;VioHandle (HVIO) - input : Reserved word of 0s.

Return Code

rc (USHORT) - return Return code descriptions are: * 0 NO_ERROR * 367 ERROR_VIO_UNLOCK * 430 ERROR_VIO_ILLEGAL_DURING_POPUP * 436 ERROR_VIO_INVALID_HANDLE * 465 ERROR_VIO_DETACHED * 494 ERROR_VIO_EXTENDED_SG

Remarks

This call releases the screen lock that is set by VioScrLock. The VioScrUnLock call must be issued by a thread in the same process as the thread that issued VioScrLock.

Family API Considerations

Some options operate differently in the DOS mode than in the OS/2 mode. Therefore, the following restriction applies to VioScrUnLock when coding in the DOS mode:

The status always indicates the unlock is successful (return code = 0).

Example Code

C Binding

<PRE> #define INCL_VIO

USHORT rc = VioScrUnLock(VioHandle);

HVIO VioHandle; /* Video handle */

USHORT rc; /* return code */ </PRE>

MASM Binding

<PRE> EXTRN VioScrUnLock:FAR INCL_VIO EQU 1

PUSH WORD VioHandle ;Video handle CALL VioScrUnLock

Returns WORD </PRE>

Note

Text based on http://www.edm2.com/index.php/VioScrUnLock_(FAPI)

Family API		
DOS	Process Manager	DosBeep DosExit DosSleep DosExecPgm
	File Manager	DosChDir DosChgFilePtr DosClose DosDelete DosDupHandle DosMkDir DosMove DosQCurDir DosQCurDisk DosSetFileMode DosOpen DosQFileInfo DosRead DosQFileMode DosQFSInfo DosQVerify DosRmDir DosSelectDisk DosFindClose DosFindFirst DosFindNext DosSetFileInfo DosSetVerify DosWrite DosFileLocks DosSetFHandState DosNewSize DosBufReset DosQFHandState DosSetFSinfo DosShutdown
	Memory Manager	DosFreeSeg DosSubAlloc DosSubFree DosSubSet DosAllocHuge DosAllocSeg DosReallocHuge DosReallocSeg DosGetHugeShift DosCreateCSAlias
	NLS	DosCaseMap DosGetCtryInfo DosGetDBCSEv DosSetCtryCode DosGetCollate DosGetMessage DosInsMessage DosPutMessage
	Date and Time	DosSetDateTime DosGetDateTime
	Devices	DosDevConfig DosDevIOCtl DosDevIOCtl2
	Signals	DosHoldSignal DosSetSigHandler
	Misc	BadDynLink DosGetEnv DosGetMachineMode DosGetVersion DosError DosErrClass DosSetVec
KBD		KbdCharIn KbdFlushBuffer KbdGetStatus KbdSetStatus KbdStringIn KbdPeek
VIO		VioGetBuf VioGetConfig VioGetCurPos VioGetCurType VioGetPhysBuf VioReadCellStr VioReadCharStr VioScrollUp VioScrollDn VioScrollLf VioScrollRt VioScrUnLock VioSetCurPos VioSetCurType VioSetMode VioGetMode VioShowBuf VioWrtCellStr VioWrtCharStr VioWrtCharStrAtt VioWrtNAttr VioWrtNCell VioWrtNChar VioWrtTTY VioScrLock VioPopUp
Tools		BIND
Modules		DOSCALLS.DLL VIOCALLS.DLL KBDCALLS.DLL MSG.DLL
Libraries		API.LIB OS2386.LIB FAPI.LIB DOSCALLS.LIB SUBCALLS.LIB

2018/08/25 15:05 · prokushev · 0 Comments

From:
<https://osfree.su/doku/> - **osFree wiki**

Permanent link:
https://osfree.su/doku/doku.php?id=en:docs:fapi:vioscrunlock&rev=1629447798

Last update: **2021/08/20 08:23**